Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 (Currently amended). A system for the automated, audible recitation of text arranged in a sequence of one or more words and displayed on a surface defining an area having a height dimension and a width dimension, said area displaying more than one character of said text along each dimension, said system comprising:

- (a) a first element capable of distinguishing individual words in said sequence from an image of said surface:
- (b) a second element capable of audibly reciting the words distinguished by said first element, in said sequence;
- (c) a third element capable of capturing an image of said surface such that all characters of said text within said area are captured simultaneously; and
- (d) a fourth element capable of automatically processing said captured image so as to correct, without user interaction, for at least one of: (i) image skew; (ii) image distortion resulting from capturing an image from a surface not parallel to that of an image sensor in said third element; and (iii) image blur, where said processing facilitates automated character recognition of text in a captured said image.
- 2 (Original). The system of claim 1 where said first element includes a programmable electronic dictionary.

3 (Original). The system of claim 1 where said first element includes a spell checker.

4 (Currently amended). The system of claim 1 where said <u>image distortion being</u> correctable by said fourth element includes image blur resulting from portions of said surface being located outside a depth of field of said third element second element is adjustable in at least one of a voice, volume, or pitch.

5 (Previously presented). The system of claim 2 where said programmable electronic dictionary includes a phonetic module that automatically recites an estimated pronunciation of a word to a user for verification.

6 (Previously presented). The system of claim 1 where said third element includes a processor having software that instructs said third element to capture a test image of at least a portion of said surface, analyze said test image, and based on said analysis, automatically, without user interaction, capture a second image that differs from said test image.

7 (Original). The system of claim 6 where said second image corrects for a skewed test image.

8 (Original). The system of claim 6 where said second image is more focused than said test image.

9 (Original). The system of claim 6 where said second image corrects for a distortion in

said test image resulting from capturing text from a curved surface.

10 (Original). The system of claim 6 where said second image is a portion of said first

image.

11 (Currently amended). A system for the automated, audible recitation of text arranged

in a sequence of one or more words and displayed on a surface defining an area having a height

dimension and a width dimension, said area displaying more than one character of said text along

each dimension, said system comprising:

(a) a first element capable of distinguishing individual words in said sequence

from an image of said surface:

(b) a second element capable of audibly reciting the words distinguished by

said first element, in said sequence;

(c) a third element comprising:

(i) an array of light-sensitive members that each convert light incident

on said members to respective electromagnetic signals;

(ii) a lens capable of focusing an image on said array; and

(iii) a circuit capable of receiving said respective electromagnetic

signals and creating an electronic image associated with said image; and

Page 4

Appl. No. 10/676,273

Amdt. dated January 17, 2008

Reply to Office action of October 18, 2007

(d) a fourth element comprising an electronic storage storing software that

processes an image captured by said third element to correct, without user interaction, for at least

one of: (i) image skew; (ii) image distortion resulting from capturing an image from a surface not

parallel to that of an image sensor in said third element; and (iii) image blur, where said

processing facilitates automated character recognition of text in a captured said image.

12 (Original). The system of claim 11 where said first element includes a programmable

electronic dictionary.

13 (Original). The system of claim 11 where said first element includes a spell checker.

14 (Currently amended). The system of claim 11 where said image distortion being

correctable by said fourth element includes image blur resulting from portions of said surface

being located outside a depth of field of said third element second element is adjustable in at

least one of a voice, volume, or pitch.

15 (Previously presented). The system of claim 11 where said programmable electronic

dictionary includes a phonetic module that automatically recites an estimated pronunciation of a

word to a user for verification.

16 (Previously presented). The system of claim 11 where said third element includes a

processor having software that instructs said third element to capture a test image of at least a

Page 5

Appl. No. 10/676,273 Amdt. dated January 17, 2008 Reply to Office action of October 18, 2007

portion of said surface, analyze said test image, and based on said analysis, automatically, without user interaction, capture a second image that differs from said test image.

17 (Original). The system of claim 16 where said second image corrects for a skewed test image.

18 (Original). The system of claim 16 where said second image is more focused than said test image.

19 (Original). The system of claim 16 where said second image corrects for a distortion in said test image resulting from capturing text from a curved surface.

20 (Original). The system of claim 16 where said second image is a portion of said first image.

- 21 (Previously presented). An electronic device comprising a processor, a lens in proximity to an array of light sensitive members that each convert light into a respective electrical signal, and an audio device, whereby
- (a) said lens is capable of focusing an optical image containing text in a sequence of words on said array which converts said optical image to an electronic image containing said text;

- (b) said processor is capable of receiving said electronic image and identifying individual said words in said text and routing said words in said sequence to said audio device, where said processor includes a page prompt module that is capable of identifying a page number in the header or footer of an image, and prompting the audio device to recite a warning to a user if the apparatus receives images of pages of text in nonsequential order, prior to said device reciting the words on a page determined to be in nonsequential order; and
- (c) said audio device is capable of audibly reciting said words in said sequence.
 - 22 (Original). The apparatus of claim 21 where said electronic device is a PDA.
- 23 (Original). The apparatus of claim 21 where said electronic device is a laptop computer.
- 24 (Original). The apparatus of claim 21 where said processor includes a programmable dictionary.
 - 25 (Original). The apparatus of claim 21 including a self-contained power source.
- 26 (Original). The apparatus of claim 21 where said processor is capable of correcting for at least one of a skew, blur, and distortion.

Appl. No. 10/676,273 Amdt. dated January 17, 2008 Reply to Office action of October 18, 2007

27 (Canceled).

28 (Previously presented). A cell phone comprising:

- (a) a body portion containing a keypad, an audio receiver, and an audio transmitter;
 - (b) a digital camera in said body portion having an outwardly facing lens; and
- (c) a processor capable of receiving an image containing a text sequence from said digital camera, distinguishing individual words in said sequence, and causing said audio transmitter to recite said individual words in said sequence; and
- (d) storage storing a plurality of templates for identifying the layout format of text in an image captured by said digital camera.
- 29 (Previously presented). The cell phone of claim 28 where at least one of said templates is in the layout format of a menu.
- 30 (Original). The cell phone of claim 28 where said processor is capable of correcting for at least one of a skew, blur, and distortion.
- 31 (Original). The cell phone of claim 28 where said processor includes a page prompt module that is capable of identifying a page number in the header or footer of an image, and prompting the audio device to recite a warning to a user if the apparatus receives images of pages of text in nonsequential order.

Appl. No. 10/676,273 Amdt. dated January 17, 2008 Reply to Office action of October 18, 2007

32 (Previously presented). The cell phone of claim 28 where at least one of said templates is in the layout format of a newspaper.

33 (Previously presented). The cell phone of claim 28 where one of said templates corresponds to a phone book.

34 (Original). The cell phone of claim 33 where said cell phone includes a button and said one of said templates instructs said processor to dial the phone number of a phone book entry being recited when the user presses said button.